

VARIABLE OR FIXED FOCAL LENGTH VIDEO COUPLERS



- VARIABLE FOCAL LENGTH VIDEO COUPLERS OPTIMIZED FOR MUCAM CAMERA
 - 18 to 35 mm variable focal length
 - 32 mm standard eyepiece fast locking
 - Special C-mount connection on MUCAM camera
 - Adjustable focus
- FIXED FOCAL LENGTH VIDEO COUPLERS OPTIMIZED FOR MUCAM CAMERA
 - With or without 32 mm standard eyepiece fast locking with anti-rotation device
 - C-mount connection on MUCAM Camera
 - Adjustable focus
- FIXED FOCAL LENGTH VIDEO COUPLERS OPTIMIZED FOR UV IMAGING WITH MUCAM CAMERA
 - 32 mm standard eyepiece fast locking with anti-rotation device
 - C-mount connection on MUCAM Camera
 - Integrated light pass filter for Ultra-Violet (UV) imaging

VOCATION : Industrial endoscopy

VARIABLE FOCAL LENGTH VIDEO COUPLERS OPTIMIZED FOR MUCAM



- 18 to 35 mm variable focal length
- 32 mm standard eyepiece fast-locking with anti-rotation device
- C-mount camera connection for MUCAM camera
- Adjustable focus
- Image size adjustment ring

Reference : OTV-Z18-35-EL

FIXED FOCAL LENGTH VIDEO COUPLERS OPTIMIZED FOR MUCAM



- 32 mm standard eyepiece fast-locking with anti-rotation device
- C-mount camera connection for MUCAM camera
- Adjustable focus

Focal lgth 13mm Ref. OTW-13-ES
Focal lgth 17mm Ref. OTW-17-ES
Focal lgth 20mm Ref. OTW-20-ES
Focal lgth 25mm Ref. OTV-25-ES
Focal lgth 30mm Ref. OTV-30-ES
Focal lgth 35mm Ref. OTV-35-ES



- Without 32 mm EFER standard eyepiece fast-locking and with threaded connection
- C-mount camera connection for MUCAM camera
- Adjustable focus

Focal lgth 13mm Ref. OTW-13-EU
Focal lgth 17mm Ref. OTW-17-EU
Focal lgth 20mm Ref. OTW-20-EU
Focal lgth 25mm Ref. OTV-25-EU
Focal lgth 30mm Ref. OTV-30-EU
Focal lgth 35mm Ref. OTV-35-EU

FIXED FOCAL LENGTH VIDEO COUPLERS OPTIMIZED FOR UV IMAGING WITH MUCAM CAMERA



- 32 mm standard eyepiece fast-locking with anti-rotation device
- C-mount camera connection for MUCAM camera
- Integrated light pass filter for Ultra-Violet (UV) imaging

Focal lgth 13mm Ref. OTW-13-US
Focal light 17mm Ref. OTW-17-US
Focal lgth 20mm Ref. OTW-20-US
Focal lgth 25mm Ref. OTV-25-US

OPTIONS & ACCESSORIES

Quick-lock mechanism for WOLF standard eyepiece.

Adaptor referenced ANO for transforming OLYMPUS fiberscope eyepieces into 32 mm international eyepieces

Specific focal lengths on request


LIGHTING ACCESSORIES



EFER ENDOSCOPY-designed accessories broaden the application fields of its standard endoscopic range in particular by enabling the inter-connection of EFER ENDOSCOPY products with other brands of equipment.

- **Universal light cables with removables end connectors**
- **End connectors for EFER ENDOSCOPY light cables compatibility with other brands of borescopes**
- **End connectors for EFER ENDOSCOPY light cables compatibility with other brands of light sources**
- **Connectors for EFER ENDOSCOPY borescopes & fiberscopes compatibility with other brands of light cables**
- **Coupling bases for EFER ENDOSCOPY light sources compatibility with other brands of light cables**

VOCATION : Industrial endoscopy



LIGHT GUIDE CABLES

REFERENCE	LENGTH	TYPE OF CONNECTION
CUH 1845	1.80 m	Fiber, no connector (specify at order)
CUH 2545	2.50 m	Fiber, no connector (specify at order)
CUH 3645	3.60 m	Fiber, no connector (specify at order)
CUL 1840	1.80 m	Liquid, no connector (specify at order)
CUL 2540	2.50 m	Liquid, no connector (specify at order)

LIGHT GUIDE CABLE CONNECTORS

LIGHT SOURCE SIDE	
REFERENCE	TYPE
G1	EFER/FORT STANDARD
G2	STORZ STANDARD
G3	OLYMPUS STANDARD
G4	WOLF STANDARD
G5	ACMI STANDARD
G6	VOLPI STANDARD
G8	MACHIDA STANDARD

BOREScope SIDE	
REFERENCE	TYPE
E1	EFER/FORT STANDARD
E2	STORZ STANDARD
E3	FORT STANDARD
E4	ACMI MALE STANDARD / OLYMPUS
E5	ACMI FEMALE STANDARD

BOREScope CONNECTORS

REFERENCE	TYPE
C1	EFER/WOLF STANDARD
C2	STORZ STANDARD
C3	FORT STANDARD
C4	OLYMPUS/ ACMI FEMALE STANDARD

LIGHT SOURCE BASES

REFERENCE	TYPE
B1	EFER/FORT STANDARD
B2	STORZ STANDARD
B3	OLYMPUS STANDARD
B4	WOLF STANDARD
B5	ACMI STANDARD
B6	VOLPI STANDARD